Ferotec Friction, Inc.

150 Shellyland Road Rapho Business Park
PO Box 387 Mount Joy, PA 17552
(717) 492-9600 Fax: (717) 492-9601

Material Safety		D3923/3924		Data Sheet		
Telephone: (717) 492-9600		Revision Date:8/1/13		Fax: (717) 492-9601		
I. Product Informa	tion:					
Product Name: D3923 a	and 3924					
Trade Name: Molded	Composite					
II. NFPA (0 = No Haz	zard; 4 = Severe Ha	nzard):				
Health = 1		Reactivity =	0	Fire = 1		
III. Ingredient Information:						
Hazardous Components	C.A.S. Number	Percent	OSHA PEL (mg	/m³) ACGIH TLV	/ (mg/m³)	
Vermiculite (Mica)	1318-00-9	18-23	15	10		
Cellulose	9004-34-6	1-3	15	10		
Fiberglass	65997-17-3	3-7	15	10		
Calcium Carbonate	1317-65-3	3-7	15	10		
Barium Sulfate	7727-43-7	17-22	10	10		
Carbon Black	1333-86-4	3-7	3.5	3.5		
Magnesium Oxide	1309-48-4	20-25	15	15 10		
IV. Physical Data:						
Boiling Point (°F):	NA		Evapo	Evaporation Rate (Butyl Acetate = 1) NA		
Vapor Pressure (mm Hg):	NA		Specif	ic Gravity (Water = 1):	1.98	
Water Solubility (%):	NA		Meltin	Melting Point (°F): NA		
Vapor Density (Air = 1):	NA		% Vol	% Volatile by Volume: NA		
Appearance And Odor:	Dark gray/Black					
V. Fire and Explosion	Data:					
Flash Point (°F):	NA			nable Limits: LEL = NA	UEL = NA	
Extinguishing Media:	Water, foam, dry chemical Unusual Fire and Explosion Hazards: None				zards: None	
Special Fire Fighting Procedures: In a sustained fire, self-contained breathing apparatus (SCBA) should be worn.						
VI. Health Data: A. Summary/Risks:						
Continuous Filament Fiberglass: Inadequate evidence of carcinogenicity in both human and animal scientific studies to link this fiber to human cancer. Therefore, classified as Group 3.						
Clinical conditions which may be aggravated: Any condition generally aggravated by mechanical irritants in air or on skin.						
Target Organs: Lungs, skin.						
Acute Health Effects: Temporary irritation of the mouth, nose, and throat.						

Material Safety
Data Sheet

Chronic Health Effects:
Designated by IARC as "not classifiable as to human carcinogenicity." Not listed by NPT or by OSHA.

Primary Routes of Entry: Inhalation

VI. Health Data: B. Signs/Symptoms of Overexposure:

Inhalation: May cause temporary upper respiratory irritation.

Skin Contact: Acute - Transient mechanical irritation.

Chronic - None.

Ingestion: Acute - Unlikely to occur. Observe individual, if symptoms develop, consult physician.

Chronic - None known.

Eyes: Acute - Direct contact will cause mechanical irritation.

Chronic - None known.

VI. Health Data: C. First Aid/Emergency Procedures:

Inhalation: Remove from exposure. Get medical help if irritation persists.

Skin Contact: Wash with mild soap and running water.

Ingestion: Unlikely. Consult physician if unusual reaction is noted.

Eyes: Flush with flowing water for at least 15 minutes. If symptoms persist, seek immediate medical attention.

VII. Reactivity Data:

Conditions to Avoid: Avoid creating dust. Vacuum when possible.

Hazardous Decomposition Products: Incomplete combustion may release toxic materials.

VIII. Spill or Leak Procedures:

Procedures for Spill/Leak: Use vacuum if dust is involved.

Waste Management: In accordance with state and local regulations.

X. Special Protection Information:

Goggles: May be appropriate in certain operations.

Gloves: May reduce skin irritation in some operations.

Respirator: NIOSH approved nuisance dust respirator if TLV is exceeded.

Ventilation: Use local exhaust ventilation.

Other: Wear long sleeved shirts, loose fitting clothing and use good personal hygiene.

Special Consideration for Repair & Maintenance of Contaminated Equipment: None

X. Special Considerations:

Special Handling/Storage: Store in a dry place. Label information: "Any fiber or dust may be a hazard to your health. Use respirators and/or dust control measures as well as eye protection when handling or processing this product. Do not ingest."

Other: Wash with mild soap and warm water after handling. Wash work clothes separately.

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date thereof; however, Ferotec Friction makes no warranty with respect to the accuracy of the information or the suitability of the recommendations and assumes no liability to any user thereof.