Ferotec Friction, Inc

150 Shellyland Road Rapho Business Park
PO Box 387 Mount Joy, PA 17552
(717) 492-9600 Fax: (717) 492-9601

Material Safety		D9702		Data Sheet	
<b>Telephone:</b> (717) 492-9600		Revision Date:	8/1/2013	Fax: (717) 492-9601	
I. Product Information:					
Product Name: D9702					
Trade Name: Molded Friction Product					
II. NFPA (0 = No Hazard; 4 = Severe Hazard ):					
Health = 1		Reactivity =	0		<b>Fire</b> = 1
III. Ingredient Information:					
Hazardous Components	C.A.S. Numb	er Percent	OSHA PEL (m	ng/m³) ACGIH	TLV (mg/m³)
Calcium Silicates	1344-95-2	13.1-20.2	10		10
Fiberglass	65997-17-3	6.0-10.7	15		10
Graphite	7782-42-5	4.8-9.5	10		10
Mineral Wool Fiber	Not Listed	11.9-21.4	15		10
IV. Physical Data:					
Boiling Point (°F):	NA		Evaporation F	Rate (Butyl Acetate =	1) NA
Vapor Pressure (mm Hg):	NA		Specific Gravit	ty (Water = 1):	1.92
Water Solubility (%):	NA		<b>Melting Point</b>	(°F):	NA
Vapor Density (Air = 1):	NA		% Volatile by	Volume:	NA
Appearance And Odor: Dark gray, dense solid with slight phenolic odor.					
V. Fire and Explosion Data:					
Flash Point (°F):	NA		Flammable Li	mits: LEL = NA	UEL = NA
Extinguishing Media:	Water, foam,	dry chemical	Unusual Fire a	nd Explosion Hazard	ds: None
Special Fire Fighting Proc	edures: In	a sustained fire, self-	contained breathing	g apparatus (SCBA) si	hould be worn.
VI. Health Data: A. Summary/Risks:					
Mineral Wool Fiber: Limited evidence of carcinogenicity in humans. However, IARC concluded that Mineral Wool Fiber should be placed in Category 2B, possibly carcinogenic to humans.					
Continuous Filament Fiberglass: Inadequate evidence of carcinogenicity in both human and animal scientific studies to link this fiber to human cancer. Therefore, classified as Group 3.					
Clinical conditions which may be aggravated: Any condition generally aggravated by mechanical irritants in air or on skin.					
Target Organs:	Lungs, skin.				
Acute Health Effects:	Temporary irritation of the mouth, nose, and throat.				
Chronic Health Effects: Possible cancer causing agent to humans (IARC). Not listed by NTP or by OSHA.					

Material Safety D9702 Data Sheet

**Primary Routes of Entry:** Inhalation

VI. Health Data: B. Signs/Symptoms of Overexposure:

**Inhalation:** May cause temporary upper respiratory irritation.

**Skin Contact:** Acute - Transient mechanical irritation. Chronic - None.

**Ingestion:** Acute - Unlikely to occur. Observe individual, if symptoms develop, consult physician.

Chronic - None known.

Eyes: Acute - Direct contact will cause mechanical irritation.

Chronic - None known.

VI. Health Data: C. First Aid/Emergency Procedures:

**Inhalation:** Remove from exposure. Get medical help if irritation persists.

**Skin Contact:** Wash with mild soap and running water.

**Ingestion:** Unlikely. Consult physician if unusual reaction is noted.

**Eyes:** Flush with flowing water for at least 15 minutes. If symptoms persist, seek immediate medical

attention.

VII. Reactivity Data:

**Conditions to Avoid:** Avoid creating dust. Vacuum when possible.

Hazardous Decomposition Products: Incomplete combustion may release toxic materials.

VIII. Spill or Leak Procedures:

Procedures for Spill/Leak: Use vacuum if dust is involved.

**Waste Management:** In accordance with state and local regulations.

IX. Special Protection Information:

**Goggles:** May be appropriate in certain operations.

**Gloves:** May reduce skin irritation in some operations.

**Respirator:** NIOSH approved nuisance dust respirator if TLV is exceeded.

**Ventilation:** Use local exhaust ventilation.

**Other:** Wear long sleeved shirts, loose fitting clothing and use good personal hygiene.

Special Consideration for Repair & Maintenance of Contaminated Equipment: None

## X. Special Considerations:

**Special Handling/Storage**: Store in a dry place. Label information: "Any fiber or dust may be a hazard to your health. Use respirators and/or dust control measures as well as eye protection when handling or processing this product. Do not ingest."

Other: Wash with mild soap and warm water after handling. Wash work clothes separately.

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date thereof; however, Ferotec Friction makes no warranty with respect to the accuracy of the information or the suitability of the recommendations and assumes no liability to any user thereof.